Page No 1 of 6 Revision Date : 25 October 2017

abilox®

SAFETY DATA SHEET

ABILOX GREEN CHROMIUM/IRON OXIDE BASED PIGMENT POWDER

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Products Included: Everbright TP5608 Chromium Oxide Green; Granny Smith Oxide

Green Earth; Green Slate; Gumleaf; Lichen; Olive Drab Base,

Electric Green, Breen, Light Green.

Recommended Use: Mineral oxide dry colour pigments for concrete, coatings, etc.

Supplier : Ability Building Colours

ACN : 007 247 289

Address : 133-135 Northern Rd, West Heidelberg, Victoria 3081.

Telephone : 61 3 9457 6488 **Facsimile** : 61 3 9458 4683 **Emergency Contact** : 61 3 9457 6488

2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE; NON-DANGEROUS GOOD

Hazard Category : Not applicable **Risk Phrases** : Not applicable

Safety Phrases : S36

Class : Not applicable
Subsidiary Risk : Not applicable
Packing Group : Not applicable
Poison Schedule : Not scheduled

3. COMPOSITION / INFORMATION ON INGREDIENTS

All components are considered to be Non-hazardous.

SAFETY DATA SHEET

ABILOX GREEN CHROMIUM/IRON OXIDE BASED PIGMENT POWDERS

4. FIRST AID

Ingestion : If swallowed and patient is conscious, wash out mouth with

water and induce vomiting immediately as directed by medical

personnel.

DO NOT give anything by mouth to unconscious patient.

Seek immediate medical attention.

Eye : Immediately flush with fresh water for at least 15 minutes.

Ensure adequate flushing by separating eyelids with fingers.

Seek immediate medical attention.

Skin: Wash thoroughly with soapy water. Remove contaminated

clothing and footwear and wash before reuse or storage. Seek medical attention if irritation or discomfort occurs.

Inhalation: Move immediately to fresh air and if necessary apply artificial

respiration. If breathing difficulty give oxygen.

Seek medical attention.

First Aid Facilities: Eyewash should be available in workplace.

Advice to Doctor : Treat symptomatically.

Poison Information centers in each State capital city can provide additional assistance for scheduled poisons. (Phone Australia 131 126)

5. FIRE FIGHTING MEASURES

Fire/explosion hazard: Product is not flammable.

Fire Fighting advice: Ensure use of SCBA units and full protective equipment to

avoid contact with potential of metal fumes.

Extinguishing Media: Water spray, dry chemical, carbon dioxide or appropriate

foam according to surrounding fire.

Decomposition Products: May include metal fumes in smoke, carbon monoxide

and dioxide(from small component organic compounds).

Small amount(<0.1% Cr) may revert to hexavalent chromium if

product is exposed to high-elevated temperatures.

6. ACCIDENTAL RELEASE MEASURES

Spills and disposal

: Ensure protective overalls, gloves and safety goggles are worn by cleanup personnel. Approved respirators/ dust masks should be worn

Remove unnecessary personnel from immediate area. Carefully sweep spillage together to allow collection.

Avoid raising dust.

Collect spillage into appropriately labeled containers for storage awaiting reuse or disposal via the local waste facility as per required legislation.

Thoroughly wash the area with water to complete.

SAFETY DATA SHEET

ABILOX GREEN CHROMIUM/IRON OXIDE BASED PIGMENT POWDERS

7.HANDLING AND TRANSPORT

Safe Handling: Store product in a dry area

Information and ensure all containers are sealed when not in use.

Refer to product label.

Precautions for Use: Only to be used as per recommended use.

8.EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

For Iron TLV (ACGIH) = 5 mg/m^3

For Chromium (III) PEL (OSHA) = $0.5 \text{ mg/m}^3 \text{ (TWA)}$

TLV (ACGIH) = $0.5 \text{ mg/m}^3 \text{ (TWA)}$

Engineering Controls: Ensure effective ventilation (exhaust and/or natural) at the

workplace is adequate to avoid dust in the immediate vicinity.

Personal Protection: Wear full overalls, gloves and safety goggles when handling

the product. Use particulate respirator (NIOSH type N95 or 100

filters).

Avoid skin and eye contact as well as inhalation.

Always wash hands before eating, drinking, smoking or using

the toilet.

Wash any contaminated clothing or protective equipment

before reuse or storage.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Light to dark green coloured powder. No odour.

Specific Gravity: Approx. 5

Bulk Density : 800-1000 kg/m² **Vapour Pressure** : Not applicable

pH, @ **50 g/l** : 5.5 - 7.5

Boiling Point : Not applicable

Melting Point :> 1000°C (softening)
Solubility : Insoluble in water.
Flash Point : Not applicable
Flammability Limits : Not flammable

10. STABILITY

Stability / Polymerisation: Stable

Incompatible materials

and conditions : Avoid contact with strong acids and alkalis as well as

lithium and glycerol.

SAFETY DATA SHEET

ABILOX GREEN CHROMIUM/IRON OXIDE BASED PIGMENT POWDERS

11. Toxicological Information

No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label.

Symptoms that may arise if the product is mishandled are –

Acute Effects:

Ingestion : May cause gastro-intestinal upset with nausea, vomiting and diarrhea. Eye

: May cause irritation to the cornea with resulting redness and pain to

the eye. Physical damage may also occur due to particulate matter.

Skin : May cause mild irritation to the skin with prolonged contact.

Inhalation : If dust inhaled, may cause irritation to the throat and respiratory tract

resulting in coughing and shortness of breath.

May also cause metal fume fever, which is characterised by flu-like symptoms with metallic taste, fever, chills, cough and chest pain.

Chronic Effects: Long term exposure to iron has resulted in mottling of the lungs –

Siderosis. This is considered a benign pnuemoconiosis and does not

ordinarily cause significant physiological impairment.

Long-term eye exposures may stain the eyes and leave "rust rings".

Prolonged or repeated skin contact may produce dermatitis.

Toxicology:

No data available.

No known carcinogenic, mutagenic or reproductive/developmental effects but it is considered that these materials have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

Product not expected to biodegrade in soil nor to significantly

bioaccumulate.

Environmental Fate: Avoid contaminating waterways.

Aquatic Toxicity : No data available.

Terrestrial Toxicity: No data available.

Page No 5 of 6

Revision Date: 25 October 2017

SAFETY DATA SHEET

ABILOX GREEN CHROMIUM/IRON OXIDEBASED PIGMENT POWDERS

13. DISPOSAL CONSIDERATIONS

Dispose of the product as per local regulations.

Ensure containers are effectively cleared of product and disposed of according to local authority requirements.

14. TRANSPORT INFORMATION

Is not classified as a Dangerous Good by the Criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail.

UN Number : Not applicable
Proper Shipping Name : Not applicable
Class : Not applicable
Subsidiary Risk : Not applicable
Packing Group : Not applicable
Hazchem Code : Not applicable
Segregation Dangerous Goods: Not applicable

15. REGULATORY INFORMATION

Poison Schedule : Not scheduled.

Page No 6 of 6

Revision Date: 25 October 2017

SAFETY DATA SHEET

ABILOX GREEN CHROMIUM/IRON OXIDE BASED PIGMENT POWDERS

16. OTHER INFORMATION

Date of Preparation: 1 March 2017Date of Revision (No): 25 October 2017Reason for Issue: Product range addition

This data sheet and health, safety and environmental information it contains has been prepared according to current regulatory requirements as at date of issue. The precautions and advice provided may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and comply with all applicable legislation. No statement made in this data sheet shall be construed as permission, a recommendation or authorisation given or implied to practice any patented invention without a valid licence. No company named in this document shall be responsible for any damage or injury resulting from abnormal use of the material from any failure to adhere to recommendations, or from hazards inherent in the nature of the material.

Contact: Ability Building Colours

133-135 Northern Road

WEST HEIDELBERG VIC 3081

PH: 03 9457 6488 FAX: 03 9458 4683

End of SDS